Author Index

Abbey, M., see Roach, P.D. (1170) 165
Abraham, S., see Tomita, Y. (1170) 253
Adlof, R.O., see Emken, E.A. (1170) 173
Agmon, V., Cherbu, S., Dagan, A., Grace, M., Grabowski, G.A. and Gatt, S.
Synthesis and use of novel fluorescent glycosphingolipids for estimating β-glucosidase activity in vitro in the absence of detergents and subtyping Gaucher disease variants following administration into intact cells (1170) 72
Aitken, M.A., Farrugia, W., Wong, M.H., Scott, K.F., Brennecke, S.P. and Rice, G.E.
Type II phospholipase A_2 in human gestational tissues: extractable immuno- and enzymatic activity in fetal membranes (1170) 314

Baert, J., see Corijn, J. (1170) 8
Baker, R.R. and Chang, H.-y.
The potential for platelet-activating factor synthesis in brain: properties of cholinephosphotransferase and 1-alkyl-*sn*-glycero-3-phosphate acetyltransferase in microsomal fractions of immature rabbit cerebral cortex (1170) 157
Balasubramaniam, S., see Roach, P.D. (1170) 165
Baldwin, G.S., see Mantamadiotis, T. (1170) 211
Ballard, P.L., see Sharma, A. (1170) 237
Blank, M.L., Smith, Z.L. and Snyder, F.
Arachidonate-containing triacylglycerols: biosynthesis and a lipolytic mechanism for the release and transfer of arachidonate to phospholipids in HL-60 cells (1170) 275
Brasseur, R., Vanloo, B., Deleys, R., Lins, L., Labeur, C., Taveirne, J., Ruysschaert, J.-M. and Rosseneu, M.
Synthetic model peptides for apolipoproteins. I. Design and properties of synthetic model peptides for the amphipathic helices of the plasma apolipoproteins (1170) 1
Brasseur, R., see Corijn, J. (1170) 8
Bremer, J., see Wu, P. (1170) 118
Brennan, P.J., see Wolucka, B.A. (1170) 131
Brennecke, S.P., see Aitken, M.A. (1170) 314
Breviario, F., see López, S. (1170) 17

Chang, H.-y., see Baker, R.R. (1170) 157
Chen, Y.Q. and Wenger, D.A.
Galactocerebrosidase from human urine: purification and partial characterization (1170) 53
Cheng, T., see Thomson, A.B.R. (1170) 80
Cherbu, S., see Agmon, V. (1170) 72
Chiba, M., see Suetake, K. (1170) 25
Choy, P.C., see Liu, S.-Y. (1170) 307
Clandinin, M.T., see Thomson, A.B.R. (1170) 80
Cocito, C., see Wolucka, B.A. (1170) 131
Corijn, J., Deleys, R., Labeur, C., Vanloo, B., Lins, L., Brasseur, R., Baert, J., Ruysschaert, J.M. and Rosseneu, M.
Synthetic model peptides for apolipoproteins. II. Characterization of the discoidal complexes generated between phospholipids and synthetic model peptides for apolipoproteins (1170) 8

Dagan, A., see Agmon, V. (1170) 72
De Castellarnau, C., see López, S. (1170) 17
De Craemer, D., see Vamecq, J. (1170) 151
De la Porte, P.L., see Vamecq, J. (1170) 151
Deleys, R., see Brasseur, R. (1170) 1
Deleys, R., see Corijn, J. (1170) 8
De Weerd, W.F.C., see Zomer, A.W.M. (1170) 189
DeWille, J.W. and Farmer, S.J.
Linoleic acid controls neonatal tissue-specific stearoyl-CoA desaturase mRNA levels (1170) 291

Emken, E.A., Adlof, R.O., Rohwedder, W.K. and Gulley, R.M.
Influence of linoleic acid on desaturation and uptake of deuterium-labeled palmitic and stearic acids in humans (1170) 173
Endo, M., see Sonoda, Y. (1170) 92
Ernst-Fonberg, M.L., see Worsham, L.M.S. (1170) 62

Farmer, S.J., see DeWille, J.W. (1170) 291
Farrugia, W., see Aitken, M.A. (1170) 314
Fontaine, M., see Vamecq, J. (1170) 151
Fujie, K., see Sakamoto, W. (1170) 296
Fukuhara, M., see Sonoda, Y. (1170) 92
Fukusen, N., see Sonoda, Y. (1170) 92
Furukawa, S. and Hirano, T.
Rapid stimulation of apolipoprotein B secretion by oleate is not associated with cholesteryl ester biosynthesis in HepG2 cells (1170) 32

Gage, D., see Li, R. (1170) 283
Gasa, S., see Suetake, K. (1170) 25
Gatt, S., see Agmon, V. (1170) 72
Geiger, M., Mohammed, B.S., Sankarappa, S. and Sprecher, H.
Studies to determine if rat liver contains chain-length-specific acyl-CoA 6-desaturases (1170) 137
Gonzales, L.W., see Sharma, A. (1170) 237
Grabowski, G.A., see Agmon, V. (1170) 72
Grace, M., see Agmon, V. (1170) 72
Grataroli, R., see Vamecq, J. (1170) 151
Grosbois, M., Guerbette, F., Jolliot, A., Quintin, F. and Kader, J.-C.
Control of maize lipid transfer protein activity by oxido-reducing conditions (1170) 197
Gross, C.J. and Savaiano, D.A.
Effect of development and nutritional state on the uptake, metabolism and release of free and acetyl-L-carnitine by the rodent small intestine (1170) 265
Guerbette, F., see Grosbois, M. (1170) 197
Gulley, R.M., see Emken, E.A. (1170) 173

Handa, H., see Sakamoto, W. (1170) 296
Hara, S., see Kudo, I. (117) 217
Harrison, E.H.
Enzymes catalysing the hydrolysis of retinyl esters (1170) 99
Hashi, K., see Suetake, K. (1170) 25
Hayashi, T., see Kondo, Y. (1170) 301
Hirano, T., see Furukawa, S. (1170) 32

Author Index

Abbey, M., see Roach, P.D. (1170) 165
Abraham, S., see Tomita, Y. (1170) 253
Adlof, R.O., see Emken, E.A. (1170) 173
Agmon, V., Cherbu, S., Dagan, A., Grace, M., Grabowski, G.A. and Gatt, S.
Synthesis and use of novel fluorescent glycosphingolipids for estimating β-glucosidase activity in vitro in the absence of detergents and subtyping Gaucher disease variants following administration into intact cells (1170) 72
Aitken, M.A., Farrugia, W., Wong, M.H., Scott, K.F., Brennecke, S.P. and Rice, G.E.
Type II phospholipase A_2 in human gestational tissues: extractable immuno- and enzymatic activity in fetal membranes (1170) 314

Baert, J., see Corijn, J. (1170) 8
Baker, R.R. and Chang, H.-y.
The potential for platelet-activating factor synthesis in brain: properties of cholinephosphotransferase and 1-alkyl-*sn*-glycero-3-phosphate acetyltransferase in microsomal fractions of immature rabbit cerebral cortex (1170) 157
Balasubramaniam, S., see Roach, P.D. (1170) 165
Baldwin, G.S., see Mantamadiotis, T. (1170) 211
Ballard, P.L., see Sharma, A. (1170) 237
Blank, M.L., Smith, Z.L. and Snyder, F.
Arachidonate-containing triacylglycerols: biosynthesis and a lipolytic mechanism for the release and transfer of arachidonate to phospholipids in HL-60 cells (1170) 275
Brasseur, R., Vanloo, B., Deleys, R., Lins, L., Labeur, C., Taveirne, J., Ruysschaert, J.-M. and Rosseneu, M.
Synthetic model peptides for apolipoproteins. I. Design and properties of synthetic model peptides for the amphipathic helices of the plasma apolipoproteins (1170) 1
Brasseur, R., see Corijn, J. (1170) 8
Bremer, J., see Wu, P. (1170) 118
Brennan, P.J., see Wolucka, B.A. (1170) 131
Brennecke, S.P., see Aitken, M.A. (1170) 314
Breviario, F., see López, S. (1170) 17

Chang, H.-y., see Baker, R.R. (1170) 157
Chen, Y.Q. and Wenger, D.A.
Galactocerebrosidase from human urine: purification and partial characterization (1170) 53
Cheng, T., see Thomson, A.B.R. (1170) 80
Cherbu, S., see Agmon, V. (1170) 72
Chiba, M., see Suetake, K. (1170) 25
Choy, P.C., see Liu, S.-Y. (1170) 307
Clandinin, M.T., see Thomson, A.B.R. (1170) 80
Cocito, C., see Wolucka, B.A. (1170) 131
Corijn, J., Deleys, R., Labeur, C., Vanloo, B., Lins, L., Brasseur, R., Baert, J., Ruysschaert, J.M. and Rosseneu, M.
Synthetic model peptides for apolipoproteins. II. Characterization of the discoidal complexes generated between phospholipids and synthetic model peptides for apolipoproteins (1170) 8

Dagan, A., see Agmon, V. (1170) 72
De Castellarnau, C., see López, S. (1170) 17
De Craemer, D., see Vamecq, J. (1170) 151
De la Porte, P.L., see Vamecq, J. (1170) 151
Deleys, R., see Brasseur, R. (1170) 1
Deleys, R., see Corijn, J. (1170) 8
De Weerd, W.F.C., see Zomer, A.W.M. (1170) 189
DeWille, J.W. and Farmer, S.J.
Linoleic acid controls neonatal tissue-specific stearoyl-CoA desaturase mRNA levels (1170) 291

Emken, E.A., Adlof, R.O., Rohwedder, W.K. and Gulley, R.M.
Influence of linoleic acid on desaturation and uptake of deuterium-labeled palmitic and stearic acids in humans (1170) 173
Endo, M., see Sonoda, Y. (1170) 92
Ernst-Fonberg, M.L., see Worsham, L.M.S. (1170) 62

Farmer, S.J., see DeWille, J.W. (1170) 291
Farrugia, W., see Aitken, M.A. (1170) 314
Fontaine, M., see Vamecq, J. (1170) 151
Fujie, K., see Sakamoto, W. (1170) 296
Fukuhara, M., see Sonoda, Y. (1170) 92
Fukusen, N., see Sonoda, Y. (1170) 92
Furukawa, S. and Hirano, T.
Rapid stimulation of apolipoprotein B secretion by oleate is not associated with cholesteryl ester biosynthesis in HepG2 cells (1170) 32

Gage, D., see Li, R. (1170) 283
Gasa, S., see Suetake, K. (1170) 25
Gatt, S., see Agmon, V. (1170) 72
Geiger, M., Mohammed, B.S., Sankarappa, S. and Sprecher, H.
Studies to determine if rat liver contains chain-length-specific acyl-CoA 6-desaturases (1170) 137
Gonzales, L.W., see Sharma, A. (1170) 237
Grabowski, G.A., see Agmon, V. (1170) 72
Grace, M., see Agmon, V. (1170) 72
Grataroli, R., see Vamecq, J. (1170) 151
Grosbois, M., Guerbette, F., Jolliot, A., Quintin, F. and Kader, J.-C.
Control of maize lipid transfer protein activity by oxido-reducing conditions (1170) 197
Gross, C.J. and Savaiano, D.A.
Effect of development and nutritional state on the uptake, metabolism and release of free and acetyl-L-carnitine by the rodent small intestine (1170) 265
Guerbette, F., see Grosbois, M. (1170) 197
Gulley, R.M., see Emken, E.A. (1170) 173

Handa, H., see Sakamoto, W. (1170) 296
Hara, S., see Kudo, I. (117) 217
Harrison, E.H.
Enzymes catalysing the hydrolysis of retinyl esters (1170) 99
Hashi, K., see Suetake, K. (1170) 25
Hayashi, T., see Kondo, Y. (1170) 301
Hirano, T., see Furukawa, S. (1170) 32

Hirata, F., see Roach, P.D. (1170) 165
Horiuchi, S., see Miyazaki, A. (1170) 143
Hvattum, E., see Wu, P. (1170) 118

Ibayashi, Y., see Suetake, K. (1170) 25
Ichihara, A., see Tomita, Y. (1170) 253
Inoue, K., see Kudo, I. (117) 217
Ishida, K., see Sonoda, Y. (1170) 92
Itoh, S., see Kondo, Y. (1170) 301
Iwamori, M., see Takamatsu, K. (1170) 232

Jolliot, A., see Grosbois, M. (1170) 197

Kader, J.-C., see Østergaard, J. (1170) 109
Kader, J.-C., see Grosbois, M. (1170) 197
Kajimoto, G., see Shibahara, A. (1170) 245
Kalbe, L., see Wolucka, B.A. (1170) 131
Kamei, K., see Takamatsu, K. (1170) 232
Karino, T., see Ohyashiki, T. (1170) 182
Kawai, Y., see Kondo, Y. (1170) 301
Keelan, M., see Thomson, A.B.R. (1170) 80
Keller, R.K. and Vilsaint, F.
Regulation of isoprenoid metabolism in rat liver: near constant chain lengths of dolichyl phosphate and ubiquinone are maintained during greatly altered rates of cholesterogenesis (1170) 204
Kiguchi, K., see Takamatsu, K. (1170) 232
Kondo, Y., Kawai, Y., Hayashi, T., Ohnishi, M., Miyazawa, T., Itoh, S. and Mizutani, J.
Lipoxygenase in soybean seedlings catalyzes the oxygenation of phospholipid and such activity changes after treatment with fungal elicitor (1170) 301
Kremser, K., see Singh, I. (1170) 44
Kubushiro, K., see Takamatsu, K. (1170) 232
Kudo, I., Murakami, M., Hara, S. and Inoue, K.
Mammalian non-pancreatic phospholipases A_2 (117) 217

Labeur, C., see Brasseur, R. (1170) 1
Labeur, C., see Corijn, J. (1170) 8
Ladisch, S., see Li, R. (1170) 283
Lafont, H., see Vamecq, J. (1170) 151
Langeveld, J., see Zomer, A.W.M. (1170) 189
Lazo, O., see Singh, I. (1170) 44
Lekka, M.E., see Tsoukatos, D.C. (1170) 258
Li, R., Gage, D. and Ladisch, S.
Biosynthesis and shedding of murine lymphoma gangliosides (1170) 283
Lins, L., see Brasseur, R. (1170) 1
Lins, L., see Corijn, J. (1170) 8
Liu, S.-Y., Tardi, P.G., Choy, P.C. and Man, R.Y.K.
Effects of selenium supplement on the de novo biosynthesis of glycerolipids in the isolated rat heart (1170) 307
López, S., Vila, L., Breviario, F. and De Castellarnau, C.
Interleukin-1 increases 15-hydroxyeicosatetraenoic acid formation in cultured human endothelial cells (1170) 17

Man, R.Y.K., see Liu, S.-Y. (1170) 307
Mantamadiotis, T., Sobieszczuk, P., Weinstock, J. and Baldwin, G.S.
Nucleotide sequence encoding a novel member of the hydratase/dehydrogenase family (1170) 211
Matsui, K., see Ohyashiki, T. (1170) 182
Matsuzawa, Y., see Minami, T. (1170) 125
McNeil, M.R., see Wolucka, B.A. (1170) 131
Minami, T., Tojo, H., Shinomura, Y., Matsuzawa, Y. and Okamoto, M.
Purification and characterization of a phospholipase A_2 from human ileal mucosa (1170) 125

Miyazaki, A., Sakai, M., Yamaguchi, E., Sakamoto, Y.-I., Shichiri, M. and Horiuchi, S.
Two independent macrophage receptors for acetylated high-density lipoprotein (1170) 143
Miyazawa, T., see Kondo, Y. (1170) 301
Mizutani, J., see Kondo, Y. (1170) 301
Mohammed, B.S., see Geiger, M. (1170) 137
Müller, B. and Von Wichert, P.
Effect of nitrogen dioxide inhalation on surfactant phosphatidylcholine synthesis in rat alveolar type II cells (1170) 38
Murakami, M., see Kudo, I. (117) 217

Nakayama, T., see Shibahara, A. (1170) 245
Nalbone, G., see Vamecq, J. (1170) 151
Nestel, P.J., see Roach, P.D. (1170) 165
Nishihira, J., see Sakamoto, W. (1170) 296
Noda, C., see Tomita, Y. (1170) 253
Nozawa, S., see Takamatsu, K. (1170) 232

Ohnishi, M., see Kondo, Y. (1170) 301
Ohyashiki, T., Karino, T. and Matsui, K.
Stimulation of Fe^{2+}-induced lipid peroxidation in phosphatidylcholine liposomes by aluminium ions at physiological pH (1170) 182
Okamoto, M., see Minami, T. (1170) 125
Østergaard, J., Vergnolle, C., Schoentgen, F. and Kader, J.-C.
Acyl-binding/lipid-transfer proteins from rape seedlings, a novel category of proteins interacting with lipids (1170) 109

Quintin, F., see Grosbois, M. (1170) 197

Rice, G.E., see Aitken, M.A. (1170) 314
Roach, P.D., Balasubramaniam, S., Hirata, F., Abbey, M., Szanto, A., Simons, L.A. and Nestel, P.J.
The low-density lipoprotein receptor and cholesterol synthesis are affected differently by dietary cholesterol in the rat (1170) 165
Rohwedder, W.K., see Emken, E.A. (1170) 173
Rosseneu, M., see Brasseur, R. (1170) 1
Rosseneu, M., see Corijn, J. (1170) 8
Ruysschaert, J.-M., see Brasseur, R. (1170) 1
Ruysschaert, J.M., see Corijn, J. (1170) 8

Sakai, M., see Miyazaki, A. (1170) 143
Sakamoto, W., Fujie, K., Nishihira, J. and Handa, H.
Effect of vitamin E on arachidonic acid-release in rat peritoneal macrophages (1170) 296
Sakamoto, Y.-I., see Miyazaki, A. (1170) 143
Sankarappa, S., see Geiger, M. (1170) 137
Sato, Y., see Sonoda, Y. (1170) 92
Savaiano, D.A., see Gross, C.J. (1170) 265
Schoentgen, F., see Østergaard, J. (1170) 109
Scott, K.F., see Aitken, M.A. (1170) 314
Sharma, A., Gonzales, L.W. and Ballard, P.L.
Hormonal regulation of cholinephosphate cytidylyltransferase in human fetal lung (1170) 237
Shibahara, A., Yamamoto, K., Shinkai, K., Nakayama, T. and Kajimoto, G.
cis-9,*cis*-15-Octadecadienoic acid: a novel fatty acid found in higher plants (1170) 245
Shichiri, M., see Miyazaki, A. (1170) 143
Shinkai, K., see Shibahara, A. (1170) 245
Shinomura, Y., see Minami, T. (1170) 125
Simons, L.A., see Roach, P.D. (1170) 165
Singh, I., Lazo, O. and Kremser, K.
Purification of peroxisomes and subcellular distribution of enzyme activities for activation and oxidation of very-long-chain fatty acids in rat brain (1170) 44

Skrede, S., see Wu, P. (1170) 118
Smith, Z.L., see Blank, M.L. (1170) 275
Snyder, F., see Blank, M.L. (1170) 275
Sobieszczuk, P., see Mantamadiotis, T. (1170) 211
Sonoda, Y., Endo, M., Ishida, K., Sato, Y., Fukusen, N. and Fukuhara, M.
Purification of a human cytochrome *P*-450 isozyme catalyzing lanosterol 14α-demethylation (1170) 92
Sprecher, H., see Geiger, M. (1170) 137
Suetake, K., Gasa, S., Taki, T., Chiba, M., Yamaki, T., Ibayashi, Y. and Hashi, K.
Human blood group B-active ganglio-glycosphingolipid in rat glioma (1170) 25
Szanto, A., see Roach, P.D. (1170) 165

Takamatsu, K., Kamei, K., Kubushiro, K., Kiguchi, K., Nozawa, S. and Iwamori, M.
Luteal phase-characteristic induction of I^3SO_3-GalCer in human cervical epithelia and uterine endometria, and follicular phase-characteristic formation of a ganglioside-derived negative charge gradient in different regions of fallopian tubes (1170) 232
Taki, T., see Suetake, K. (1170) 25
Tardi, P.G., see Liu, S.-Y. (1170) 307
Taveirne, J., see Brasseur, R. (1170) 1
Thomson, A.B.R., Keelan, M., Cheng, T. and Clandinin, M.T.
Delayed effects of early nutrition with cholesterol plus saturated or polyunsaturated fatty acids on intestinal morphology and transport function in the rat (1170) 80
Tojo, H., see Minami, T. (1170) 125
Tomita, Y., Abraham, S., Noda, C. and Ichihara, A.
Pyruvate stimulates hormonal induction of lipogenic enzymes in primary cultured rat hepatocytes (1170) 253
Tselepis, A.D., see Tsoukatos, D.C. (1170) 258
Tsoukatos, D.C., Tselepis, A.D. and Lekka, M.E.
Studies on the subcellular distribution of 1-*O*-alkyl-2-acetyl-*sn*-glycero phosphocholine (PAF) and on the enzymic activities involved in its biosynthesis within the ciliate *Tetrahymena pyriformis* (1170) 258

Vallee, L., see Vamecq, J. (1170) 151
Vamecq, J., Vallee, L., De la Porte, P.L., Fontaine, M., De Craemer, D., Van den Branden, C., Lafont, H., Grataroli, R. and Nalbone, G.
Effect of various $n-3/n-6$ fatty acid ratio contents of high fat diets on rat liver and heart peroxisomal and mitochondrial β-oxidation (1170) 151
Van den Bosch, H., see Zomer, A.W.M. (1170) 189
Van den Branden, C., see Vamecq, J. (1170) 151
Vanloo, B., see Brasseur, R. (1170) 1
Vanloo, B., see Corijn, J. (1170) 8
Vergnolle, C., see Østergaard, J. (1170) 109
Vila, L., see López, S. (1170) 17
Vilsaint, F., see Keller, R.K. (1170) 204
Von Wichert, P., see Müller, B. (1170) 38

Weinstock, J., see Mantamadiotis, T. (1170) 211
Wenger, D.A., see Chen, Y.Q. (1170) 53
Williams, S.G., see Worsham, L.M.S. (1170) 62
Wolucka, B.A., McNeil, M.R., Kalbe, L., Cocito, C. and Brennan, P.J.
Isolation and characterization of a novel glucuronosyl diacylglycerol from *Mycobacterium smegmatis* (1170) 131
Wong, M.H., see Aitken, M.A. (1170) 314
Worsham, L.M.S., Williams, S.G. and Ernst-Fonberg, M.L.
Early catalytic steps of *Euglena gracilis* chloroplast type II fatty acid synthase (1170) 62
Wu, P., Skrede, S., Hvattum, E. and Bremer, J.
Substrate and hormone regulation of palmitoyl-CoA synthetase in 7800 C1 Morris hepatoma cells and cultured rat hepatocytes (1170) 118

Yamaguchi, E., see Miyazaki, A. (1170) 143
Yamaki, T., see Suetake, K. (1170) 25
Yamamoto, K., see Shibahara, A. (1170) 245

Zomer, A.W.M., De Weerd, W.F.C., Langeveld, J. and Van den Bosch, H.
Ether lipid synthesis: purification and identification of alkyl dihydroxyacetone phosphate synthase from guinea-pig liver (1170) 189